

## CIPED – ELECTRICAL INSULATION LABORATORY Certificate of Recognition No. 11002



73140

## INSULATION TEST CERTIFICATE

Nr.: Date:

28/04/2023 Pag. 1 de 1.

Tramontina Garibaldi S.A. Ind. Met.
28/04/2023
Tramontina Garibaldi S.A. Test Laboratory, located at Tramontina Street, 600 – Garibaldi – RS
Temperature from 18 $^\circ\mathrm{C}$ to 28 $^\circ\mathrm{C}$ and 45% to 75% relative humidity
Before the test, the sample is conditioned as described in IEC 60900:2018, sections 5.5.2.2 or 5.5.2.3. After the conditioning period, the sample is submitted to voltage of 10 kV r.m.s (60 Hz) for 3 minutes, in accordance with item 5.5.3 – Dielectric Test of Insulated Hand Tools, of the aforementioned standard.
Tramontina Garibaldi S.A. Ind. Met.
12mm IEC 60900 Open End Wrench
44320/012
186961
The tested samples come from the industrial process of the aforementioned manufacturing order.
High Voltage Source
100/013
Calibrated by LABELO Laboratory, recognized by Cgcre/Inmetro CAL 0024, Calibration Certificate No. E0009/2020, according to PL015.

4. TEST RESULT IN ACCORDANCE TO IEC 60900:2018 STANDARD	
Batch representative sample	RESULT
44320/012	Approved

NOTES:

a) This tool underwent insulation testing, and even after long storage periods, it is suitable for use. After the first application, annual recertification is necessary.

b) The results shown herein are related exclusively to the tested tool, within the specified conditions. They cannot be extended to any lot, even for similar products.

c) This document may only be reproduced in full. Partial reproduction requires written approval from the laboratory.

Josi Carlo Sigilli

Eng. José Carlos Rizzolli Authorized Signer