

CIPED – ELECTRICAL INSULATION LABORATORY Certificate of Recognition No. 11002



INSULATION TEST CERTIFICATE	Nr.:	74529
	Date:	21/06/2023
Pag. 1 de		

Requester: Tramontina Garibaldi S.A. Ind. Met. Test date: 21/06/2023 Place: Tramontina Garibaldi S.A. Test Laboratory, located at Tramontina 600 – Garibaldi – RS Environmental Condition: Temperature from 18 °C to 28 °C and 45% to 75% relative hum Before the test, the sample is conditioned as described in IEC 6090 sections 5.5.2.2 or 5.5.2.3. After the conditioning period, the sam submitted to voltage of 10 kV r.m.s (60 Hz) for 3 minutes, in accowith intensional standard. 2. TESTED ITEM IDENTIFICATION Manufacturer: Tramontina Garibaldi S.A. Ind. Met. Description of tested item: 1/2° IEC 60900 6 Point Socket 32mm Reference: 44335/032 Manufacturing order number: 193599 Sample: The tested samples come from the industrial process of the aforementioned manufacturing order. 3. STANDARD IDENTIFICATION Equipment: High Voltage Source Identification Number: 100/013 Traceability: Calibrated by LABELO Laboratory, recognized by Cgcre/Inmetro 0024, Calibration Certificate No. E0009/2020, according to PLI 4. TEST RESULT IN ACCORDANCE TO IEC 60900:2018 STANDARD Batch representative sample RESULT		21/06/2020	
Requester: Tramontina Garibaldi S.A. Ind. Met. Test date: 21/06/2023 Place: Tramontina Garibaldi S.A. Test Laboratory, located at Tramontina 600 – Garibaldi – RS Environmental Condition: Temperature from 18 °C to 28 °C and 45% to 75% relative hum Before the test, the sample is conditioned as described in IEC 609 sections 5.5.2.2 or 5.5.2.3. After the conditioning period, the sam submitted to voltage of 10 kW r.ms (60 N Ly for 3 minutes, in accowing with item 5.5.3 – Dielectric Test of Insulated Hand Tools, of the aforementioned standard. 2. TESTED ITEM IDENTIFICATION Manufacturer: Tramontina Garibaldi S.A. Ind. Met. Description of tested item: 1/2* IEC 60900 6 Point Socket 32mm Reference: 44335/032 Manufacturing order number: 193599 Sample: The tested samples come from the industrial process of the aforementioned manufacturing order. 3. STANDARD IDENTIFICATION Equipment: High Voltage Source Identification Number: Calibrated by LABELO Laboratory, recognized by Cgcre/Inmetro 0024, Calibration Certificate No. E0009/2020, according to Put 4. TEST RESULT IN ACCORDANCE TO IEC 60900:2018 STANDARD Batch representative sample RESULT	4 OFNEDAL TEXT DATA	Pag. 1 de 1	
Test date: Place: Tramontina Garibaldi S.A. Test Laboratory, located at Tramontina 600 – Garibaldi – RS Environmental Condition: Temperature from 18 °C to 28 °C and 45% to 75% relative hum Before the test, the sample is conditioned as described in IEC 6096 sections 5.5.2.2 or 5.5.2.3. After the conditioning period, the sam submitted to voltage of the Vr. ms. (60 Hz) for 3 minutes, in accowith item 5.5.3 – Dielectric Test of Insulated Hand Tools, of the aforementioned standard. 2. TESTED ITEM IDENTIFICATION Manufacturer: Tramontina Garibaldi S.A. Ind. Met. Description of tested item: 1/2" IEC 60900 6 Point Socket 32mm Reference: 44335/032 Manufacturing order number: 193599 Sample: The tested samples come from the industrial process of the aforementioned manufacturing order. 3. STANDARD IDENTIFICATION Equipment: High Voltage Source Identification Number: Calibrated by LABELO Laboratory, recognized by Cgcre/Inmetro 0024, Calibration Certificate No. E0009/2020, according to Pute 4. TEST RESULT IN ACCORDANCE TO IEC 60900:2018 STANDARD Batch representative sample RESULT			
Place: Tramontina Garibaldi S.A. Test Laboratory, located at Tramontina 600 – Garibaldi – RS Environmental Condition: Temperature from 18 °C to 28 °C and 45% to 75% relative hum Before the test, the sample is conditioned as described in IEC 6090 sections 5.5.2.2 or 5.5.2.3. After the conditioning period, the sam submitted to voltage of 10 kV r.m.s (60 Hz) for 3 minutes, in acco with item 5.5.3 – Dielectric Test of Insulated Hand Tools, of the sam submitted to voltage of 10 kV r.m.s (60 Hz) for 3 minutes, in acco with item 5.5.3 – Dielectric Test of Insulated Hand Tools, of the sam submitted to voltage of 10 kV r.m.s (60 Hz) for 3 minutes, in acco with item 5.5.3 – Dielectric Test of Insulated Hand Tools, of the submitted to voltage of 10 kV r.m.s (60 Hz) for 3 minutes, in acco with item 5.5.3 – Dielectric Test of Insulated Hand Tools, of the submitted to voltage of 10 kV r.m.s (60 Hz) for 3 minutes, in acco with item 5.5.3 – Dielectric Test of Insulated Hand Tools, of the submitted to voltage of 10 kV r.m.s (60 Hz) for 3 minutes, in acco with item 5.5.2 or 5.5.2.3. After the conditioning period, the sam submitted to voltage of 10 kV r.m.s (60 Hz) for 3 minutes, in acco with item 5.5.3 – Dielectric Test of Insulated Hand Tools, of the submitted to voltage of 10 kV r.m.s (60 Hz) for 3 minutes, in acco with item 5.5.2 or 5.2.3. After the conditioning period, the sam submitted to voltage of 10 kV s.m.s (60 Hz) for 3 minutes, in acco with item 5.5.2 or 5.5.2.3. After the conditioning period, the sam submitted to voltage of 10 kV s.m.s (60 Hz) for 5.5.2.2 or 5.5.2.3. After the conditioning period, the sam submitted to voltage of 10 kV s.m.s (60 Hz) for 5.5.2 or 5.5.2.3. After the conditioning period, the sam submitted to voltage of 10 kV s.m.s (60 Hz) for 5.5.2.2 or 5.5.2.3. After the conditioning period, the sam submitted to voltage of 10 kV s.m.s (60 Hz) for 5.5.2.2 or 5.5.2.3. After the conditioning period, the sam submitted to voltage of 10 kV s.m.s (60 Hz) for 5.5.2.2 or 5.5.2.3. After the conditioning period, t	Requester:	Tramontina Garibaldi S.A. Ind. Met.	
Environmental Condition: Test method: Test	Test date:	21/06/2023	
Test method: Before the test, the sample is conditioned as described in IEC 6090 sections 5.5.2.2 or 5.5.2.3. After the conditioning period, the sam submitted to voltage of 10 kV r.m.s (60 Hz) for 3 minutes, in accommodate with item 5.5.3 – Dielectric Test of Insulated Hand Tools, of the aforementioned standard. 2. TESTED ITEM IDENTIFICATION Manufacturer: Tramontina Garibaldi S.A. Ind. Met. Description of tested item: 1/2" IEC 60900 6 Point Socket 32mm Reference: 44335/032 Manufacturing order number: 193599 Sample: The tested samples come from the industrial process of the aforementioned manufacturing order. 3. STANDARD IDENTIFICATION Equipment: High Voltage Source Identification Number: 100/013 Traceability: Calibrated by LABELO Laboratory, recognized by Cgcre/Inmetro 0024, Calibration Certificate No. E0009/2020, according to PLG 4. TEST RESULT IN ACCORDANCE TO IEC 60900:2018 STANDARD Batch representative sample RESULT	Place:	Tramontina Garibaldi S.A. Test Laboratory, located at Tramontina Street, 600 – Garibaldi – RS	
Sections 5.5.2.2 or 5.5.2.3. After the conditioning period, the sam submitted to voltage of 10 kV r.m.s (60 Hz) for 3 minutes, in acco with item 5.5.3 – Dielectric Test of Insulated Hand Tools, of the aforementioned standard. 2. TESTED ITEM IDENTIFICATION Manufacturer: Tramontina Garibaldi S.A. Ind. Met. Description of tested item: 1/2" IEC 60900 6 Point Socket 32mm Reference: 44335/032 Manufacturing order number: 193599 Sample: The tested samples come from the industrial process of the aforementioned manufacturing order. 3. STANDARD IDENTIFICATION Equipment: High Voltage Source Identification Number: 100/013 Traceability: Calibrated by LABELO Laboratory, recognized by Cgcre/Inmetro 0024, Calibration Certificate No. E0009/2020, according to PLO 4. TEST RESULT IN ACCORDANCE TO IEC 60900:2018 STANDARD Batch representative sample RESULT	Environmental Condition:	Temperature from 18 °C to 28 °C and 45% to 75% relative humidity	
Manufacturer: Description of tested item: Reference: 44335/032 Manufacturing order number: Sample: The tested samples come from the industrial process of the aforementioned manufacturing order. 3. STANDARD IDENTIFICATION Equipment: High Voltage Source Identification Number: Traceability: Calibrated by LABELO Laboratory, recognized by Cgcre/Inmetro 0024, Calibration Certificate No. E0009/2020, according to PLO 4. TEST RESULT IN ACCORDANCE TO IEC 60900:2018 STANDARD Batch representative sample RESULT	Test method:	Before the test, the sample is conditioned as described in IEC 60900:2018, sections 5.5.2.2 or 5.5.2.3. After the conditioning period, the sample is submitted to voltage of 10 kV r.m.s (60 Hz) for 3 minutes, in accordance with item 5.5.3 – Dielectric Test of Insulated Hand Tools, of the aforementioned standard.	
Description of tested item: Reference: 44335/032 Manufacturing order number: 193599 The tested samples come from the industrial process of the aforementioned manufacturing order. 3. STANDARD IDENTIFICATION Equipment: High Voltage Source Identification Number: 100/013 Traceability: Calibrated by LABELO Laboratory, recognized by Cgcre/Inmetro 0024, Calibration Certificate No. E0009/2020, according to PLO 4. TEST RESULT IN ACCORDANCE TO IEC 60900:2018 STANDARD Batch representative sample RESULT	2. TESTED ITEM IDENTIFICATION		
Reference: Manufacturing order number: Sample: The tested samples come from the industrial process of the aforementioned manufacturing order. 3. STANDARD IDENTIFICATION Equipment: High Voltage Source Identification Number: Traceability: Calibrated by LABELO Laboratory, recognized by Cgcre/Inmetro 0024, Calibration Certificate No. E0009/2020, according to PLO 4. TEST RESULT IN ACCORDANCE TO IEC 60900:2018 STANDARD Batch representative sample RESULT	Manufacturer:	Tramontina Garibaldi S.A. Ind. Met.	
Manufacturing order number: Sample: The tested samples come from the industrial process of the aforementioned manufacturing order. 3. STANDARD IDENTIFICATION Equipment: High Voltage Source Identification Number: 100/013 Traceability: Calibrated by LABELO Laboratory, recognized by Cgcre/Inmetro 0024, Calibration Certificate No. E0009/2020, according to PLO 4. TEST RESULT IN ACCORDANCE TO IEC 60900:2018 STANDARD Batch representative sample RESULT	Description of tested item:	1/2" IEC 60900 6 Point Socket 32mm	
The tested samples come from the industrial process of the aforementioned manufacturing order. 3. STANDARD IDENTIFICATION Equipment: High Voltage Source Identification Number: 100/013 Traceability: Calibrated by LABELO Laboratory, recognized by Cgcre/Inmetro 0024, Calibration Certificate No. E0009/2020, according to PLO 4. TEST RESULT IN ACCORDANCE TO IEC 60900:2018 STANDARD Batch representative sample RESULT	Reference:	44335/032	
3. STANDARD IDENTIFICATION Equipment: High Voltage Source Identification Number: 100/013 Traceability: Calibrated by LABELO Laboratory, recognized by Cgcre/Inmetro 0024, Calibration Certificate No. E0009/2020, according to PLO 4. TEST RESULT IN ACCORDANCE TO IEC 60900:2018 STANDARD Batch representative sample RESULT	Manufacturing order number:	193599	
Equipment: Identification Number: Traceability: Calibrated by LABELO Laboratory, recognized by Cgcre/Inmetro 0024, Calibration Certificate No. E0009/2020, according to PLO 4. TEST RESULT IN ACCORDANCE TO IEC 60900:2018 STANDARD Batch representative sample RESULT	Sample:	The tested samples come from the industrial process of the aforementioned manufacturing order.	
Identification Number: 100/013 Traceability: Calibrated by LABELO Laboratory, recognized by Cgcre/Inmetro 0024, Calibration Certificate No. E0009/2020, according to PLO 4. TEST RESULT IN ACCORDANCE TO IEC 60900:2018 STANDARD Batch representative sample RESULT	3. STANDARD IDENTIFICATION		
Traceability: Calibrated by LABELO Laboratory, recognized by Cgcre/Inmetro 0024, Calibration Certificate No. E0009/2020, according to PLO 4. TEST RESULT IN ACCORDANCE TO IEC 60900:2018 STANDARD Batch representative sample RESULT	Equipment:	High Voltage Source	
4. TEST RESULT IN ACCORDANCE TO IEC 60900:2018 STANDARD Batch representative sample RESULT RESULT	Identification Number:	100/013	
Batch representative sample RESULT	Traceability:	Calibrated by LABELO Laboratory, recognized by Cgcre/Inmetro CAL 0024, Calibration Certificate No. E0009/2020, according to PL015.	
The state of the s	4. TEST RESULT IN ACCORDANCE TO IEC 60900:20	18 STANDARD	
44335/032 Approved	Batch representative sample	RESULT	
•••	44335/032	Approved	

NOTES:

- a) This tool underwent insulation testing, and even after long storage periods, it is suitable for use. After the first application, annual recertification is necessary.
- b) The results shown herein are related exclusively to the tested tool, within the specified conditions. They cannot be extended to any lot, even for similar products.
- c) This document may only be reproduced in full. Partial reproduction requires written approval from the laboratory.

Eng. José Carlos Rizzolli Authorized Signer